

CHAT / eCHAT bibliography: Key references & related studies

Felicity Goodyear-Smith f.goodyear-smith@auckland.ac.nz

CHAT = Case-finding and Help Assessment Tool. eCHAT is electronic version.

YouthCHAT

1. GOODYEAR-SMITH F, CORTER A, SUH H. Electronic screening for lifestyle issues and mental health in youth: a community-based participatory research approach. *BMC Medical informatics & Decision Making*, 2016. 16:140. DOI: 10.1186/s12911-016-0379-z
2. GOODYEAR-SMITH F, MARTEL R, DARRAGH M, THABREW H, CLARK T. Screening for risky behaviour and mental health in young people: the YouthCHAT programme. *Public Health Reviews*, 2017. 38:20. DOI:[10.1186/s40985-017-0068-1](https://doi.org/10.1186/s40985-017-0068-1)
3. THABREW H, CORTER A, GOODYEAR-SMITH F, GOLDFINCH M. Randomized Trial Comparing the Electronic Composite Psychosocial Screener YouthCHAT With a Clinician-Interview Assessment for Young People: A Study Protocol. *JMIR research protocols* 2017;6(7):e135. doi: 10.2196/resprot.7995 [published Online First: 2017/08/02]
4. MARTEL R, DARRAGH M, LAWRENCE A, SHEPHERD M, WIHONGI T, GOODYEAR-SMITH F. YouthCHAT as a primary care e-screening tool for mental health issues among Te Tai Tokerau Youth – protocol for a co-design study, *JMIR Research Protocol*. 2018. doi:10.2196/12108
5. THABREW H, GOODYEAR-SMITH F. YouthCHAT: an electronic, psychosocial screener for young people with long-term physical conditions. *Journal of Paediatrics and Child Health*, 2019, 6 May, doi:10.1111/jpc.14503
6. THABREW H, D'SILVA S, DARRAGH M, GOLDFINCH M, MEADS J, GOODYEAR-SMITH F. Randomized Trial Comparing the Electronic Composite Psychosocial Screener YouthCHAT with a Clinician-Interview Assessment for Young People. *Journal of Medical Internet Research*, 2019, in press
7. MARTEL R, REIHAMA-TAIT H, LAWRENCE A, SHEPHERD M, WIHONGI T, GOODYEAR-SMITH F. Reaching out to reduce health inequities for Māori youth in Te Tai Tokerau, *International Nursing Review*, 2019. In press

eCHAT

1. WARREN J, GOODYEAR-SMITH F, MILLER D, WARREN D, PATON C, MABOTUWANA T, ARROLL B. An integrated electronic lifestyle and mental health patient self-assessment for general practice: Design and initial field study. *Health Care and Informatics Review Online* 2010; 14(4): 18-25
2. GOODYEAR-SMITH F, WARREN J, BOJIC M, CHONG A. eCHAT for lifestyle and mental health screening in primary care. *Annals of Family Medicine* 2013; 11(5): 460-6. doi: 10.1370/afm.1512
3. ZHANG X, WARREN J, CORTER A, GOODYEAR-SMITH F. A Population-Level Data Analytics Portal for Self-Administered Lifestyle and Mental Health

Screening, *Studies in Health Technology and Informatics*. 2016. 231: 152-159. DOI 10.3233/978-1-61499-712-2-152

4. ELLIOTT B, WARREN J, DARAGH M, GOODYEAR-SMITH F. Towards a youth mental health screening analytics tool. *Health Informatics & Knowledge Management. ACM Press Proceedings of the Australasian Computer Science Week (ACSW) 2019*. 14 doi 10.1145/3290688.3290717

Evaluation of CHAT

1. GOODYEAR-SMITH F, ARROLL B, SULLIVAN S, ELLEY R, DOCHERTY B, JANES R. Lifestyle screening: development of an acceptable multi-item general practice tool. *New Zealand Medical Journal* 2004; 117(1205): U1146
2. GOODYEAR-SMITH F, ARROLL B, KERSE N, SULLIVAN S, COUPE N, TSE S, SHEPHERD R, ROSSEN F, PERESE L. Primary care patients reporting concerns about their gambling frequently have other co-occurring lifestyle and mental health issues. *BMC Family Practice* 2006; 7: 25.
3. CALVERLEY J, VERHOEVEN A, HOPCROFT D. A patient-centred referral pathway for mild to moderate lifestyle and mental health problems: Does this model work in practice? *Journal of Primary Health Care*, 2009;1(1):50-56.

Ethnic differences

1. GOODYEAR-SMITH F, ARROLL B, COUPE N, BUETOW S. Ethnic differences in mental health and lifestyle issues: results from multi-item general practice screening. *New Zealand Medical Journal* 2005; 118(1212): U1374.
2. GOODYEAR-SMITH F, ARROLL B, TSE S. Asian language school student and primary care patient responses to a screening tool detecting concerns about risky lifestyle behaviours. *New Zealand Family Physician* 2004; 31(2): 84-9
3. APE-ESERA L. Use of the Case-finding and Help Assessment Tool (CHAT) to assess the source and manifestation of emotional distress in Samoan Youth. Masters thesis, University of Auckland. 2007. 169p
4. ZHU S, TSE S, GOODYEAR-SMITH F, YUEN W, WONG P. Health-related behaviors and mental health in Hong Kong employees. *Occupational Medicine*. Oct 2016. doi:10.1093/occmed/kqw137.
5. ELLEY CR, DAWES D, DAWES M, PRICE M, DRAPER H, GOODYEAR-SMITH F. Screening for Lifestyle and Mental Health Risk Factors in the Waiting Room: Feasibility Study of the CHAT. *Canadian Family Physician*, 2014. 60 (Nov): e530-e534.
6. SHAH K, CORTER A, BIRD A, GOODYEAR-SMITH F. A primary care programme to improve identification and stepped care support of Asians with mental health and lifestyle issues, *Journal of Primary Health Care*, 2019, 11(1):39–46. doi:10.1071/HC18043

Validation of CHAT

GOODYEAR-SMITH F, COUPE N, ARROLL B, ELLEY C, SULLIVAN S, MCGILL A. Case-finding of lifestyle and mental health problems in primary care: validation of the 'CHAT'. *Br J Gen Pract* 2008; 58(546): 26-31

Validation of the help question

1. GOODYEAR-SMITH F, ARROLL B, COUPE N. Asking For Help is Helpful: Validation of a Brief Lifestyle and Mood Assessment Tool in Primary Health Care. *Annals of Family Medicine* 2009; 7(3): 239-44
2. PUDDIFOOT S, ARROLL B, GOODYEAR-SMITH F, KERSE N, FISHMAN T, GUNN J. A new case-finding tool for anxiety: a pragmatic diagnostic validity study in primary care. *International Journal of Psychiatry in Medicine* 2007; 37(4): 71-81
3. ARROLL B, GOODYEAR-SMITH F, KERSE N, FISHMAN T, GUNN J. Effect of the addition of a "help" question to two screening questions on specificity for diagnosis of depression in general practice: diagnostic validity study. *Br Med J* 2005; 331(7521): 884

Depression & anxiety

1. ARROLL B, MARTIS W, GOODYEAR-SMITH F, CHIN W, MOUNT V, HUMM S, BLASHKI G, MACGILLIVRAY S. Antidepressants for treatment of depression in primary care: a systematic review and meta-analysis. *Journal of Primary Health Care*, 2016. 8(4):325–334. doi:10.1071/HC16008
2. TUTTY S, GOODYEAR-SMITH F. Eighteen months of Depression: Examining the chronic care management of depression with particular reference to Pacific people, *Journal of Primary Health Care*, 2014, 6 (1):31-39.
3. GOODYEAR-SMITH F, VAN DRIEL M, ARROLL B, DEL MAR, C. Analysis of decisions made in meta-analyses of depression screening and the risk of confirmation bias: A case study. *BMC Medical Research Methodology*. 2012.12:76 doi:10.1186/1471-2288-12-76
4. ARROLL B, ELLEY CR, FISHMAN T, GOODYEAR-SMITH FA, KENEALY T, BLASHKI G, KERSE N, MACGILLIVRAY S. Antidepressants versus placebo for depression in primary care. *Cochrane Database Syst Rev*. 2009(3):CD007954
5. ARROLL B, GOODYEAR-SMITH F, KERSE N, HWANG M, CRENGLE S, GUNN J, FISHMAN T, HATCHER S, PRADHAN S, SIDHU, K. The prevalence of depression among Māori patients in Auckland general practice. *J Prim Health Care*. 2009 Mar;1(1):26-9
6. ARROLL B, GOODYEAR-SMITH F, CRENGLE S, GUNN J, KERSE N, FISHMAN T, FALLOON K, HATCHER S. Validation of the Patient Health Questionnaires 2 and 9 in the primary care population, *Ann Fam Med*. 8(3):348-353, 2010
7. MOHD-SIDIK S, ARROLL B, GOODYEAR-SMITH F, ZAIN A. Screening for depression with a brief questionnaire in a primary care setting: validation of the

two questions with help question (Malay version), *Int J Psychiatry Med.* 2011. 41(2):143-154

8. SHERINA MS, ARROLL B, GOODYEAR-SMITH F. Criterion validity of the PHQ-9 (Malay version) in a primary care clinic in Malaysia. *Medical Journal of Malaysia* 2012; 67(3):309-315.
9. SIDIK S M, ARROLL B, GOODYEAR-SMITH F. Prevalence of anxiety among women attending a primary care clinic in Malaysia. *Br J Gen Pract*, 2011;61(587): e326-e332. DOI:1 0.3399/bjgp11X577990
10. SIDIK S M, ARROLL B, GOODYEAR-SMITH F. Prevalence of depression among women attending a primary urban care clinic in Malaysia, *Singapore Medical Journal* 2012; 53(7):468-473.
11. SIDIK,S, ARROLL B, GOODYEAR-SMITH F. Validation of the GAD-7 (Malay version) among women attending a primary care clinic in Malaysia. *Journal of Primary Health Care*, 2012; 4(1): 5-11.
12. GOODYEAR-SMITH, FA. Commentary on Common mental diseases in primary care in India: little to distinguish five commonly used screening tools, *Evidence-based Mental Health*, 17:38:22, 2008
13. ARROLL B; GOODYEAR-SMITH F; LLOYD T. Depression in patients in an Auckland general practice, *NZ Med J*, 115: 176-179, 2002

Lifestyle issues

1. MCCORMICK R, ADAMS P, POWELL A, PATON-SMITH G, BUNBURY D, MCAVOY B, MCLACHLAN-SMITH C, GOODYEAR-SMITH F. Alcohol and Primary Health Care: New Zealand findings and implications from the WHO collaborative study. A report prepared for the Alcohol Advisory Council of New Zealand. Auckland: University of Auckland, 2002. 54 p.
2. GOODYEAR-SMITH F, MCCORMICK R, PATON-SIMPSON G, STEWART A. Changes in AUDIT scores of Auckland general practitioner patients from 1995 to 2003. *NZ Fam Physician.* 2007;34(4):252-7
3. SHERIDAN J, GOODYEAR-SMITH F, GOHNS A, BUTLER R, WHEELER A (2008). Barriers to, and incentives for, the transfer of opioid-dependent people on methadone maintenance treatment from secondary to primary health care, *Drug & Alcohol Review*, 27 (2); 178-184, 2008
4. GRIBBEN B, GOODYEAR-SMITH F, ELLIS-PEGLER E, O'NEILL D, WILSON S. Lessons learned from a Green Prescription evaluation: too many layers, too many players. *NZ Fam Physician.* 2000;27(4):58-61
5. GRIBBEN B, GOODYEAR-SMITH F, GROBBELAAR M, O'NEILL D, WALKER S. The early experience of general practitioners using Green Prescription. *NZ Med J.* 2000;113(1117):372-373

Intervention

1. DUNCAN S, GOODYEAR-SMITH F, MCPHEE J, ZINN C, GRØNTVED A, SCHOFIELD G. Family-centred brief intervention for reducing obesity and

- cardiovascular disease risk: a randomised controlled trial. *Obesity*. 2016. Doi: 10.1002/oby.21602
2. COLLINGS S, DOWELL A, HATCHER S, GOODYEAR-SMITH F, Lane B, Munsterman A. Clinical effectiveness of an ultra-brief intervention for common mental health syndromes in primary care: study protocol for a cluster randomized controlled trial. *Trials*, 2015. 16:260
 3. GOODYEAR-SMITH F, MCPHEE J, DUNCAN S, SCHOFIELD G. Evaluation of a primary care-based programme designed to increase exercise and improve nutrition in patients at risk. *Journal of Primary Health Care*, 2014. 6 (4):312-318
 4. MATHIESON F, COLLINGS S, DOWELL A, HATCHER S, GOODYEAR-SMITH F, STANLEY J. Collaborative research: a case example of dissemination of CBT in primary care. *The Cognitive Behaviour Therapist*. 2013.. Accepted 20 May 13
 5. COLLINGS S, MATHIESON F, DOWELL A, STANLEY J, JENKIN G, GOODYEAR-SMITH F, HATCHER S. Acceptability of a guided self-help mental health intervention in general practice, *Family Practice*. 2012, 29(1): 43-49.
 6. HORSBURGH M, GOODYEAR-SMITH F, WILES J, MAHONY F, ROY D, MILLER D, DONNELL E. Lessons learned from attempting to assess the evidence base for a complex intervention introduced into New Zealand general practice, *Quality and Safety in Health Care*, 19, p-, 2010, doi:10.1136/qshc.2009.034439
 7. HORSBURGH M, GOODYEAR-SMITH F, YALLOP J, O'CONNOR S. Successful implementation of a nursing initiative in primary care: a case report, *New Zealand Family Physician*, 35: 183-186, 2008
 8. HORSBURGH M, GOODYEAR-SMITH F, YALLOP J. Nursing initiatives in primary care: an approach to risk reduction for cardiovascular disease and diabetes, *New Zealand Family Physician*, 35: 176–182, 2008

Co-design

1. GOODYEAR-SMITH F. Collective enquiry and reflective action in research: towards a clarification of the terminology. *Family Practice*. Special edition Quandaries in Patient and Community Engagement, Fall 2016 doi: 10.1093/fampra/cmw098.
2. GOODYEAR-SMITH F, JACKSON C, GREENHALGH T. Co-design and implementation research: challenges and solutions for ethics committees, *BMC Medical Ethics*, 2015. 16(1):78. doi: 10.1186/s12910-015-0072-

Expressing risk

1. RAVAL M, GOODYEAR-SMITH F, WELLS M. The effect of ethnicity on different ways of expressing cardiovascular treatment benefits and patient decision-making. *Journal of Primary Health Care*, 2015. 7(1):24-33.
2. GOODYEAR-SMITH F, KENEALY T, WELLS S, ARROLL B, HORSBURGH M. Patient preferences for ways to communicate benefits of cardiovascular medication. *Ann Fam Med*. 2011;9(2):121-7

3. KENEALY T, GOODYEAR-SMITH F, WELLS S, ARROLL B, JACKSON R, HORSBURGH M. Patient preference for making autonomous decisions about taking medication to prevent a heart attack: does it change as CVD risk rises? *Family Practice*, 2011, 28 (45): 542-544.
4. GOODYEAR-SMITH F, ARROLL B, CHAN L, JACKSON R, WELLS S, KENEALY T. Patients prefer pictures to numbers to express cardiovascular benefit from treatment. *Ann Fam Med*. 2008 May-Jun;6(3):213-7

Family violence / relationships

1. GOODYEAR-SMITH F. National screening policies in general practice: a case study of routine screening for partner abuse. *Appl Health Econ & Health Pol*. 2002;1(4):197-209.
2. GOODYEAR-SMITH F. Recognising and responding to partner abuse: challenging the key facts. *NZ Med J*. 2004 22;117(1204):U1135.
3. GOODYEAR-SMITH F, ARROLL B. Screening for domestic violence in general practice: A way forward? *Br J Gen Pract*. 2003;53(492):515-8.
4. GOODYEAR-SMITH F. Invited commentary on Medical Management of Intimate Partner Violence Considering the Stages of Change: Precontemplation and Contemplation: Routine screening for intimate partner violence - an alternative perspective. *Ann Fam Med*. 2004;2:231-9
5. GOODYEAR-SMITH F. Response to the 'woman bites dog' article on domestic violence. *NZ Med J*. 2005;118(1226):1-3
6. GOODYEAR-SMITH F, LAIDLAW T. 'Positive Partners, Strong Families' - evaluation of a community-based communication and conflict resolution course for couples. *NZ Fam Physician*. 2003;30(4):264-8
7. GOODYEAR-SMITH F, LAIDLAW T. Aggressive acts and assaults in intimate relationships: Towards an understanding of the literature. *Behav Sc Law*. 1999;17(3):285-304